





SPS CARBON TITANIUM
APPROVED EURO 4



SPS CARBON CERAMIC BLACK
APPROVED EURO 4



SPS CARBON INOX
APPROVED EURO 4



4-TRACK R TITANIUM
APPROVED EURO 4



4-TRACK R CERAMIC BLACK
APPROVED EURO 4



4-TRACK R INOX
APPROVED EURO 4



4-TRACK R TITANIUM
RACING



4-TRACK R INOX
RACING



**DECATALYST FOR HIGHT
POSITION MUFFLER**
RACING

MADE IN ITALY


PURITY OF DESIGN

A motorcycle with great performance, light and compact, designed for long ride and capable of driving off road. KTM 790 ADVENTURE does not fear mountain trails, transcontinental crossings and the desert because it has all the off-road DNA typical of every KTM. For the 790 ADV powered by the powerful 799 cc twin cylinder, HP Corse has created two different exhausts: 4-Track R and SPS-CARBON.

Both exhausts have been tested in off-road for a long time. They resist high stresses and guarantee great reliability and better performance than the original exhaust they replace. Able to change the lines of the rear area of the 790 Adventure, they have the link-pipe for the original collector. Lighter than the standard exhaust, they have a laser-engraved logo, a carbon cover and are available in three different materials: titanium, black ceramic stainless steel and satin stainless steel. Euro 4 approved in the high version (SPS-CARBON SHORT and 4-TRACK rSHORT). Racing in low version (only 4-TRACK R SHORT).



Potenza alla ruota corretta [Cv]



Codice prova: KTM 790 ADVENTURE OEM

Range di prova [Rpm]: 3000-9850

Potenza Max. [Cv]: 95,12 [Rpm]: 8250

K corr. 195/1/CEI: 0.962 Temp. amb. 1°C:27

Data:04/05/2020

Coppia Max. [Kg.m] 83.2 [Rpm]: 6780

Press. atm. [mBar]: 1012

Umidità relativa%: 62

Codice prova: KTM 790 ADVENTURE 4-TRACK R - SPS CARBON SHORT DBK

Range di prova [Rpm]: 3000-9860

Potenza Max. [Cv]: 98,1 [Rpm]: 8180

K corr. 195/1/CEI: 0.962 Temp. amb. 1°C:27

Data: 04/05/2020

Coppia Max. [Kg.m] 84,4 [Rpm] 6580

Press. atm. [mBar]: 1012

Umidità relativa%: 60

SPS CARBON SHORT Line

APPROVED EURO 4

-  TITANIUM Code KTSPSS79ADV-T-AB
-  CERAMIC BLACK Code KTSPSS79ADV-C-AB
-  INOX Code KTSPSS79ADV-S-AB

e24 00107 G

EU TYPE-APPROVAL CERTIFICATE
for non-original motorcycle exhaust

 TITANIUM Code KTSPSS79ADV-T-AB



 INOX Code KTSPSS79ADV-S-AB

TECHNICAL INFO

- CANISTER OCTAGONAL
- CARBON FIBER END-CAP
- HYDROFORMING TECHNOLOGY
- APPROVED EURO 4
- SLIP-ON LINK-PIPE
- DBK
- CARBON FIBER COVER
- LASER LOGO

HP CORSE OEM



DECATALYST LINK-PIPE - Only for Race Parts -
Code XKT1079-C



CERAMIC BLACK Code KTSPSS79ADVC-AB



4-TRACK R SHORT Line

APPROVED EURO 4

- TITANIUM Code KT4TRS79ADVT-AB
- CERAMIC BLACK Code T4TRS79ADVC-AB
- INOX Code KT4TRS79ADVS-AB

e24 00107 G

EU TYPE-APPROVAL CERTIFICAT
for non-original motorcycle exhaust

TITANIUM Code KT4TRS79ADVT-AB



INOX Code KT4TRS79ADVS-AB

TECHNICAL INFO

- CANISTER OCTAGONAL
- HYDROFORMING TECHNOLOGY
- APPROVED EURO 4
- SLIP-ON LINK-PIPE
- DBK
- CARBON FIBER COVER
- LASER LOGO

HP CORSE OEM



DECATALYST LINK-PIPE - Only for Race Parts -
Code XKT1079-C



CERAMIC BLACK Code T4TRS79ADVC-AB



4-TRACK R SHORT RACING Line

ONLY FOR RACE PARTS

■ TITANIUM Code XKT4TRS79ADVT-AD

■ INOX Code XKT4TRS79ADVS-AD

Designed for the Off Road, this exhaust is the ultimate in essentiality and purity of the lines. We are obviously talking about 4-TRACK R with removable dbk in the "SHORT" 300 mm version Racing. The link-pipe that connects the silencer to the primary collector is decatalized for a weight reduction of 2.21 kg. The support bracket is oversized and TIG welded manually by our specialized technicians and secured to the bike frame through a Silent-Block that dampens vibrations avoiding breakage to the weld itself. The silencer body is in stainless steel, 0.8 mm thick and octagonal shape. The stainless steel caps are watertight and secured to the body silencer by 10 reinforced stainless steel rivets. The exhaust gas exit is double with round shape while the spout is oval and obtained by hydroforming. The logo is laser engraved.



■ INOX Code XKT4TRS79ADVS-AD

TITANIUM Code XKT4TRS79ADVT-AD



TECHNICAL INFO

- CANISTER OCTAGONAL
- DBK REMOVABLE
- HYDROFORMING END-CAP
- HYDROFORMING TECHNOLOGY
- DECATALYST SLIP-ON LINK-PIPE
- CARBON FIBER FOR LINK-PIPE COVER
- LASER LOGO

hpcorse
MADE IN ITALY



HP CORSE s.r.l.

C.F. P.I. 02668231208

Administrative headquarters and offices

Via Romitino 11-2, 40055 Castenaso (BOLOGNA)

www.hpcorse.com

info@hpcorse.com commerciale@hpcorse.com

Tel. +39 0432 822 200 Fax +39 0432 822 231

Steelform s.r.l.

C.F. P.I. 01698860309

Registered office

Via Max Piccini, 16-33061 RIVIGNANO-TEOR (UD)

Administrative headquarters and offices

Via Udine, 60-33061 RIVIGNANO-TEOR (UD)

Il brand "HPCORSE" e i prodotti presentati nella brochure sono di HPCORSE (tutti i diritti sono riservati)

hpcorse
MADE IN ITALY